




BENO LED

Stropní LED svítidlo



[V] 220-240 AC	[Hz] 50	[W] 18	[lm] 1550	[°] 110	[h] ≥20000	[h] 20000
Tc [K] 4000	ellipse ≤ 6x MacAdam	Ra ≥80	SMD		IP 54	
	[°C] -15÷35			[mm²] 0,5÷1,5	0,5m	
$\frac{lm}{W}$ 86						



BENO 18W NW-O-W

		[W]	[lm]	Tc [K]		SENSOR
BENO 18W NW-O-W	32940	18	1550	4000	bílá	
BENO 18W NW-O-GR	32941	18	1550	4000	grafit	
BENO 18W NW-L-W	32942	18	1550	4000	bílá	
BENO 18W NW-L-GR	32943	18	1550	4000	grafit	
BENO 18W NW-O-SE W	32944	18	1550	4000	bílá	mikrovlnný
BENO 18W NW-O-SE GR	32945	18	1550	4000	grafit	mikrovlnný
BENO 18W NW-L-SE W	32946	18	1550	4000	bílá	mikrovlnný
BENO 18W NW-L-SE GR	32947	18	1550	4000	grafit	mikrovlnný

- Materiál korpusu: plast
- Materiál difuzoru: plast

BENO LED

Stropní LED svítidlo



BENO 18W NW-O-W



BENO 18W NW-O-GR



BENO 18W NW-L-W



BENO 18W NW-L-GR



BENO 18W NW-O-SE W





BENO 18W NW-O-SE GR



BENO 18W NW-L-SE W



BENO 18W NW-L-SE GR



BENO LED

Stropní LED svítidlo

BENO 18W NW-O

BENO 18W NW-L